RECEIVED

- 50 -

AUG 17 20an

SEQUENCE LISTING

TECH CENTER 1600/2900

(1) GENERAL INFORMATION:

(i) APPLICANT: ASHIKARI, Toshihiko
TANAKA, Yoshikazu
FUJIWARA, Hiroyuki
NAKAO, Masahiro
FUKUI, Yuko
SAKAKIBARA, Keiko
MIZUTANI, Masako



- (ii) TITLE OF INVENTION: GENE ENCODING A PROTEIN HAVING ACYL GROUP TRANSFER ACTIVITY
- (iii) NUMBER OF SEQUENCES: 31
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS, L.L.P.
 - (B) STREET: 1737 King Street, Suite 500

KUSUMI, Takaaki

- (C) CITY: Alexandria
- (D) STATE: Virginia
- (E) COUNTRY: United States
- (F) ZIP: 22314-2756
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/894,356
 - (B) FILING DATE: 18-AUG-1997
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: JP 7-67159
 - (B) FILING DATE: 17-FEB-1995
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: JP 7-196915
 - (B) FILING DATE: 29-JUN-1995
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: JP 8-46534
 - (B) FILING DATE: 30-JAN-1996
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: WO PCT/JP96/00348
 - (B) FILING DATE: 16-FEB-1996
- (viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Meuth, Donna M.

	(B) REGISTRATION NUMBER: 36,607 (C) REFERENCE/DOCKET NUMBER: 001560-308	
(ELECOMMUNICATION INFORMATION: (A) TELEPHONE: (703) 836-6620 (B) TELEFAX: (703) 836-2021	
(2) INFORMA	ATION FOR SEQ ID NO:1:	
((QUENCE CHARACTERISTICS: (A) LENGTH: 1703 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii) MO	LECULE TYPE: cDNA to mRNA	
(iii) HY	POTHETICAL: NO	
(iv) AN	TTI-SENSE: NO	
(RIGINAL SOURCE: (A) ORGANISM: Gentiana triflora var. japonica (F) TISSUE TYPE: petal	
(MEDIATE SOURCE: [A) LIBRARY: cDNA library [B) CLONE: pGAT4	
	CATURE: (A) NAME/KEY: CDS (B) LOCATION: 61412	
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:1:	
	AG CAA ATC CAA ATG GTG AAG GTT CTT GAA AAA TGC CAA Glu Gln Ile Gln Met Val Lys Val Leu Glu Lys Cys Gln 5 10	47
	CCA TCT GAC ACA ACA GAT GTC GAG TTA TCG CTA CCG GTA Pro Ser Asp Thr Thr Asp Val Glu Leu Ser Leu Pro Val 20 25 30	95
	GAT ATC CCC TGG TTG CAC TTG AAT AAG ATG CAG TCC CTT Asp Ile Pro Trp Leu His Leu Asn Lys Met Gln Ser Leu 35 40 45	43
	GAC TTT CCG TAC CCA AGA ACA CAT TTC TTG GAC ACT GTT Asp Phe Pro Tyr Pro Arg Thr His Phe Leu Asp Thr Val 50 55 60	91

•

·. ·.

٠.											
					-	52	-				
			AAG Lys								239
		 	 AAT Asn								287
			TCC Ser								335
			CAG Gln 115								383
			TTG Leu								431
			GAC Asp								479
			AAC Asn								527
			GCT Ala								575
			TTT Phe 195								623
			GAT Asp								671
			AAC Asn								719
			CCC Pro								767
	-		GAA Glu							•	815
			CCG Pro 275								863

														GTA Val			911
														TTT Phe			959
														TAC Tyr		1	.007
														GAG Glu		1	055
														GAA Glu 365		1	.103
-	-													GCA Ala		1	151
														CTC Leu		1	199
														GGA Gly		1	247
														GAA Glu		1	295
														ATT Ile 445		1	343
															GAA Glu	1	391
				TCT Ser			TAGT	rctci	rtt <i>i</i>	ATAC	SAACO	CA TA	ATTT(GCTG(2	1	442
AATA	AAGT	rac (CAAGT	CCTI	T AC	TAAC	CACTA	A CAC	CAA	ACCC	TACT	TTCC	GAG (GCGGC	BAACA	2 1	502
CACA	AACGA	AGG T	TCA	ATCAC	T AC	BAAGO	TTGT	r ACI	TCAT	AAA	TTCC	CAGAC	GT (CGAAT	TATAC	A 1	562
CCGI	TGT	CCT C	TGA	AAAGI	TT GA	AACCI	CACA	A CCI	rgac <i>i</i>	ATGG	TGTT	TACGA	ATA (GGTAT	TGTA	r 1	622
AATO	CCAT	TA T	PATA	CTTCC	CA TA	AAAGI	CATCO	TAT	rgcaz	TAG	AGA	CATO	TT A	ATGTO	AATT	A 1	682

AAAAAAAA AAAAAAAA A	1703
(2) INFORMATION FOR SEQ ID NO:2:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1622 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA to mRNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
<pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Gentiana triflora va. japonica (F) TISSUE TYPE: petal</pre>	
<pre>(vii) IMMEDIATE SOURCE: (A) LIBRARY: cDNA library (B) CLONE: pGAT106</pre>	
(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 351471	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
GAACCATTGA ATCCAATTAA TCTGATTTAT TAAG ATG GCA GGA AAT TCC GAG Met Ala Gly Asn Ser Glu 1 5	52
GAT ATC AAA GTT CTT GAG AAA TGC CGT GTT GCG CCA CCA CCG GAC GCC Asp Ile Lys Val Leu Glu Lys Cys Arg Val Ala Pro Pro Pro Asp Ala	100
GTC GCC GAG TTT ACA GTC CCA CTG TCG TTT TTC GAC ATG CGA TGG TTG Val Ala Glu Phe Thr Val Pro Leu Ser Phe Phe Asp Met Arg Trp Leu 25 30 35	148
ATC TCT GAT GCA GAA CAC CAT CTG CAT TTC TAC AGA TTC CGC CAT CCT Ile Ser Asp Ala Glu His His Leu His Phe Tyr Arg Phe Arg His Pro 40 45 50	196
TGT CCC AAC TCT AAA TTT ATC ATT TCA TCC ATT AAA TCG TCC CTT TCC Cys Pro Asn Ser Lys Phe Ile Ile Ser Ser Ile Lys Ser Ser Leu Ser 55 60 65 70	244
CTT GTT CTC AAA CAC TTT CTT CCG TTA GCC GGG AAT TTG ATT TGG CCG	292

Leu Val Leu Lys His Phe Leu Pro Leu Ala Gly Asn Leu Ile Trp Pro

								GAG Glu 95								34	0
								TCG Ser								38	8
								TAT Tyr								43	6
								TCC Ser								48	4
								TCC Ser								53	2
								GAT Asp 175								58	0
Asn	Lys	Leu 185	Trp	Val	Leu	Val	Asp 190	AAA Lys	Ser	Asn	Gly	Asp 195	Ser	Leu	Lys	62	8
Phe	Leu 200	Pro	Leu	Ser	Ser	Leu 205	Pro	ATG Met	Tyr	Asp	Arg 210	Ser	Val	Val	Gln	67	
Asp 215	Pro	Phe	His	Ile	Arg 220	Arg	Lys	ATC Ile	Tyr	Asn 225	Glu	Arg	Lys	Leu	Leu 230	72	
Lys	Ser	Gln	Gly	Thr 235	Pro	Thr	Val	CTA Leu	Asn 240	Pro	Ala	Ile	Ser	Lys 245	Asp	77	
Glu	Val	Arg	Ala 250	Thr	Phe	Ile	Leu	CAC His 255	Pro	Ile	Asp	Ile	Met 260	Lys	Leu	82	
Lys	Lys	Phe 265	Ile	Ser	Ser	Lys	Asn 270	CGC Arg	Asn	Leu	Thr	Gly 275	Ser	Ser	Asn	86	
Tyr	Asn 280	Leu	Ser	Thr	Phe	Thr 285	Val	ACA Thr	Ser	Ala	Leu 290	Ile	Trp	Thr	Суѕ	91	
								GTA Val								96	4

		ATC AAC TGC CGA CAA CGT TTT Ile Asn Cys Arg Gln Arg Phe 320 325	1012
		GGA AAT TGC ATA GTG CCT TGT Gly Asn Cys Ile Val Pro Cys 340	1060
		GTA GGA AAT GAA GGG TTG TCG Val Gly Asn Glu Gly Leu Ser 355	1108
		ATC CAT AAG AGG TTA CAT GAC Ile His Lys Arg Leu His Asp 370	1156
Tyr Glu Gly Ile Leu A		ATA TCG CCG CCC CGA TCA ACA Ile Ser Pro Pro Arg Ser Thr 385 390	1204
		TAT GTC GTT GGA TCC GCA CAA Tyr Val Val Gly Ser Ala Gln 400 405	1252
		TTT GGT TGG GGA AAG CTT GAA Phe Gly Trp Gly Lys Leu Glu 420	1300
		TCG GCA ACA CTA ATT TTG ATC Ser Ala Thr Leu Ile Leu Ile 435	1348
		CTT GAG CTT GGC ATT TCT TTG Leu Glu Leu Gly Ile Ser Leu 450	1396
Pro Lys Asn Arg Met A		ACC ATT TTT ACG AAT TTC ATC Thr Ile Phe Thr Asn Phe Ile 465 470	1444
AAT AGT CTC CAT GTG A Asn Ser Leu His Val A 475		TAAGAAAAA GTGGTATCAA	1491
TGTATAAAAA AGACAGACAA	A GTTATGATGC AAC	CAAATGTT TTAGGAGATT ACAAATCCAT	1551
GGGAAGATGT ATCAAACTCA	А ТСТСТСТАТА ТАТ	CATATATT CAATTGTTTT AAAAAAAAAA	1611
ААААААААА А			1622

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1605 base pairs

		(0	:) SI	PE: RAND POLC	EDNE	ESS:	doub		•							
	(ii)	MOI	ECUI	E TY	PE:	cDNA	to	mRN/	A							
	(iii)	нүн	отне	ETICA	AL: N	10										
	(iv)	ANT	TI-SE	ENSE:	NO											
	(vi)	(Z	A) OF	AL SC RGANI ISSUE	SM:	Peti		_	rida							
	(vii)	(1	A) L]	ATE S BRAF LONE :	RΥ: σ	DNA	libi	cary								
	(ix)		A) NA	E: AME/K CATI			1410)				•				
	(xi)	SEÇ	QUENC	CE DE	ESCRI	PTIC	ON: 5	SEQ :	D NO	0:3:						
TGT	CGAC	SAA A	ATCC	ATTTC	CA TI	TCC	CTTC	TT:	CTTC	TTT	TTCT	TAAT	TTC (GTCAT	CATTO	60
TTA														GTG A		108
GTC	CTG	1et A 1 AAA	Ala (Bly © ACA	∃lu \ AAC	Jal A 5 GTG	Ala I AAA	CCA	Gln (3lu V AAA	/al 7 10 CCA	CTA	GGA		_ys _AAA	108
GTC Val 15 GAG	CTG Leu TGT	1 AAA Lys	Ala (AAA Lys TTG	ACA Thr GTA Val	AAC Asn 20 ACA	Jal A 5 GTG Val	AAA Lys GAT	CCA Pro	CAT His CCT Pro	AAA Lys 25 TAC	Jal 7 10 CCA Pro	CTA Leu GCT	GGA Gly TTC	/al I AAA	AAA Lys 30 TAC	
GTC Val 15 GAG Glu	CTG Leu TGT Cys	1 AAA Lys CAA Gln	AAA Lys TTG Leu	ACA Thr GTA Val	AAC Asn 20 ACA Thr	/al / 5 GTG Val TTT Phe	AAA Lys GAT Asp	CCA Pro CTT Leu	CAT His CCT Pro 40	AAA Lys 25 TAC Tyr	Jal 10 CCA Pro CTA Leu	CTA Leu GCT Ala	GGA Gly TTC Phe	/al I AAA Lys TAT Tyr 45	AAA Lys 30 TAC	156 204
GTC Val 15 GAG Glu	CTG Leu TGT Cys	1 AAA Lys CAA Gln	AAA Lys TTG Leu	ACA Thr GTA Val 35	AAC Asn 20 ACA Thr	Val A 5 GTG Val TTT Phe	AAA Lys GAT Asp	CCA Pro CTT Leu	CAT His CCT Pro 40	AAA Lys 25 TAC Tyr	Val 10 CCA Pro CTA Leu	CTA Leu GCT Ala	GGA Gly TTC Phe	/al I AAA Lys TAT Tyr	AAA Lys 30 TAC Tyr	156
GTC Val 15 GAG Glu AAC Asn	CTG Leu TGT Cys CAA Gln	1 AAA Lys CAA Gln AAA Lys	AAA Lys TTG Leu TTT Phe 50	ACA Thr GTA Val 35 CTC Leu	AAC Asn 20 ACA Thr ATC Ile	7al 7 5 GTG Val TTT Phe TAT Tyr	AAA Lys GAT Asp AAA Lys	CCA Pro CTT Leu GGT Gly 55	CAT His CCT Pro 40 GCT Ala	AAA Lys 25 TAC Tyr GAA Glu	Val To 10 CCA Pro CTA Leu AAC Asn TTG	CTA Leu GCT Ala TTT Phe	GGA Gly TTC Phe GAC Asp 60	AAA Lys TAT Tyr 45 GAG Glu	AAA Lys 30 TAC Tyr ACG Thr	156 204
GTC Val 15 GAG Glu AAC Asn	CTG Leu TGT Cys CAA Gln	1 AAA Lys CAA Gln AAA Lys	AAA Lys TTG Leu TTT Phe 50	ACA Thr GTA Val 35 CTC Leu	AAC Asn 20 ACA Thr ATC Ile	7al 7 5 GTG Val TTT Phe TAT Tyr	AAA Lys GAT Asp AAA Lys	CCA Pro CTT Leu GGT Gly 55	CAT His CCT Pro 40 GCT Ala	AAA Lys 25 TAC Tyr GAA Glu	Val To 10 CCA Pro CTA Leu AAC Asn TTG	CTA Leu GCT Ala TTT Phe	GGA Gly TTC Phe GAC Asp 60	AAA Lys TAT Tyr 45 GAG Glu	AAA Lys 30 TAC Tyr ACG Thr	156 204 252
GTC Val 15 GAG Glu AAC Asn GTG Val	CTG Leu TGT Cys CAA Gln GAA Glu	1 AAA Lys CAA Gln AAA Lys AAA Lys 65	AAA Lys TTG Leu TTT Phe 50 ATT Ile	ACA Thr GTA Val 35 CTC Leu AAA Lys	AAC Asn 20 ACA Thr ATC Ile GAT Asp	Jal A 5 5 GTG Val TTT Phe TAT Tyr GGA Gly GGA	AAA Lys GAT Asp AAA Lys CTG Leu 70	CCA Pro CTT Leu GGT Gly 55 GCC Ala	CAT His CCT Pro 40 GCT Ala TTA Leu	AAA Lys 25 TAC Tyr GAA Glu GTA Val	Val To 10 CCA Pro CTA Leu AAC Asn TTG Leu GGG	CTA Leu GCT Ala TTT Phe GTG Val 75	GGA Gly TTC Phe GAC Asp 60 GAT Asp	AAA Lys TAT Tyr 45 GAG Glu	AAA Lys 30 TAC Tyr ACG Thr TAT Tyr	156 204 252

		GCA Ala						444
		CCT Pro						492
		GCT Ala						540
		TTT Phe						588
		TCG Ser 180						636
		TTC Phe						684
		TCT Ser						732
		GAT Asp						780
		TTC Phe						828
		TCA Ser 260						876
		TGG Trp						924
		GTG Val						972
		CCA Pro						1020
		GCG Ala						1068

						CAA Gln										1116
						AAG Lys										1164
						GTG Val										1212
						GTG Val										1260
						AAT Asn 405										1308
						AGA Arg										1356
						TTG Leu										1404
ACT Thr		TAAT	rttgo	CTT A	AGCT"	rgga(CT CA	AACTO	GCT/	A CAG	CTTT	ATTT	ATG	AGCT	GCT	1460
ATG	ACTC	ACA :	rgca:	rgta:	rg T	TAT:	TTTT	r TTC	GAG	GGT	TCT	rtcc'	TTT :	ratt(GTTTTC	1520
TATO	STTT?	TTT (CTTT	CTTG:	ra co	GTTA:	rgaa(g AG	AAAC	CGAG	TAT	AAAG	GAA '	TAAT	GTTTTC	1580
AGT	TTTAT	AAA A	AAAA	AAAA	AA AA	AAAA										1605

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1479 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Perilla ocimoides

(F) TISSUE TYPE: leaf

(vii) IMMEDIATE SOURCE:

(A) LIBRARY: cDNA library

(B) CLONE: pSAT208

(ix) FEATURE:

(A) NAME/KEY: CDS(B) LOCATION: 3..1340

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

CC GTG ATC GAA ACG TGT AGA GTT GGG CCG CCG CCG GAC TCG GTG GCG Val Ile Glu Thr Cys Arg Val Gly Pro Pro Pro Asp Ser Val Ala 1 5 10 15	47
GAG CAA TCG GTG CCG CTC ACA TTC TTC GAC ATG ACG TGG CTG CAT TTT Glu Gln Ser Val Pro Leu Thr Phe Phe Asp Met Thr Trp Leu His Phe 20 25 30	95
CAT CCC ATG CTT CAG CTC CTC TTC TAC GAA TTC CCT TGT TCC AAG CAA His Pro Met Leu Gln Leu Leu Phe Tyr Glu Phe Pro Cys Ser Lys Gln 35 40 45	143
CAT TTT TCA GAA TCC ATC GTT CCA AAA CTC AAA CAA TCT CTC TCT AAA His Phe Ser Glu Ser Ile Val Pro Lys Leu Lys Gln Ser Leu Ser Lys 50 55 60	191
ACT CTC ATA CAC TTC TTC CCT CTC TCA TGC AAT TTA ATC TAC CCT TCA Thr Leu Ile His Phe Phe Pro Leu Ser Cys Asn Leu Ile Tyr Pro Ser 65 70 75	239
TCC CCG GAG AAA ATG CCG GAG TTT CGG TAT CTA TCC GGG GAC TCG GTT Ser Pro Glu Lys Met Pro Glu Phe Arg Tyr Leu Ser Gly Asp Ser Val 80 85 90 95	287
TCT TTC ACC ATC GCA GAA TCT AGC GAC GAC TTC GAT GAT CTC GTC GGA Ser Phe Thr Ile Ala Glu Ser Ser Asp Asp Phe Asp Asp Leu Val Gly 100 105 110	335
AAT CGT CCA GAA TCT CCC GTT AGG CTC TAC AAC TTT GTC CCT AAA TTG Asn Arg Pro Glu Ser Pro Val Arg Leu Tyr Asn Phe Val Pro Lys Leu 115 120 125	383
CCG CCC ATT GTC GAA GAA TCC GAT AGA AAA CTC TTC CAA GTT TTC GCC Pro Pro Ile Val Glu Glu Ser Asp Arg Lys Leu Phe Gln Val Phe Ala 130 135 140	431
GTG CAG GTG ACT CTT TTC CCA GGC CGA GGC GTC GGT ATT GGA ATA GCA Val Gln Val Thr Leu Phe Pro Gly Arg Gly Val Gly Ile Gly Ile Ala 145 150 155	479
ACG CAT CAC ACC GTT AGC GAC GCC CCG TCG TTT CTC GCG TTT ATA ACG Thr His His Thr Val Ser Asp Ala Pro Ser Phe Leu Ala Phe Ile Thr	527

160	165	170	175
	Ser Lys His Ile Glu	AAT GAA GAT GAA GAT Asn Glu Asp Glu Asp 190	
		TCC GTC ATA AAA TAT Ser Val Ile Lys Tyr 205	
		GCG CTA AAA TTT CCT Ala Leu Lys Phe Pro 220	
		CGC ATT CGA ACC ACG Arg Ile Arg Thr Thr 235	
		AAG GGT TGG ATT CAG Lys Gly Trp Ile Gln 250	
	u Val His Leu Ser Ser	TTT GTA GCG ATT GCA Phe Val Ala Ile Ala 270	
		ACA GCA GAT GAA GAC Thr Ala Asp Glu Asp 285	
		G GTC GAT CTA AGG CCA Val Asp Leu Arg Pro 300	
		GGG AAC TGC TTA TCG Gly Asn Cys Leu Ser 315	
GCG CTG CCG AGA AT Ala Leu Pro Arg Me 320	G CGG CGG CGA GAG CTG t Arg Arg Arg Glu Leu 325	G GTG GGA GAG AAA GGG I Val Gly Glu Lys Gly 330	GTG 1007 Val 335
	u Val Ile Ala Ala Glu	G ATA AAA AAA AGG ATC 1 Ile Lys Lys Arg Ile 350	
		TGG TCG CCG GAG ATT Trp Ser Pro Glu Ile 365	
		G GCA GGA TCG AGC AAG Ala Gly Ser Ser Lys 380	

							GGA Gly								GAA Glu	1199
							AAA Lys									1247
							GAG Glu									1295
							TAT Tyr									1340
TAAT	TAAAT	GT A	TGTA	ATTA	AA AC	CAAT	TATTA	A TTA	TGT	AACA	ATTA	ATTA	AAG 1	rgtto	GAGTAA	1400
CGT	SAAGA	AT A	ATCC	CTAT	ra Tr	CATA	TTTT	GAT	TTG	TTC	TAAA	CAAA.	TG T	OAAAT	SCCTCT	1460
TGA	AAAA	AAA A	AAAA	AAAA	Ā											1479

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1508 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA to mRNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Senecio cruentus
 - (F) TISSUE TYPE: petal
- (vii) IMMEDIATE SOURCE:
 - (A) LIBRARY: cDNA library
 - (B) CLONE: pCAT8
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 3..1364
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:
- TG AAC ATT CTC GAA CAT GCC CGA ATA TCG GCC CCC TCG GGC ACC ATC

 Asn Ile Leu Glu His Ala Arg Ile Ser Ala Pro Ser Gly Thr Ile

 1 5 10 15

			CTT Leu					95
			CTT Leu					143
			ATT Ile					191
 	 	 	TTC Phe 70		 	_	 	 239
			GGT Gly					287
			GTG Val					335
			AAT Asn					383
			GGA Gly					431
			CTT Leu 150					479
			AAT Asn					527
			GGG Gly					575
			AAA Lys					623
			GAT Asp					671
			TCG Ser 230					719

			TTG Leu 245									767
			GTG Val									815
			ATA Ile									863
			GGC Gly									911
			CGT Arg									959
			CCA Pro 325									1007
			TAT Tyr									1055
			TAT Tyr									1103
			TTC Phe									1151
			AAC Asn									1199
			ACT Thr 405									1247
			ACA Thr									1295
			ATG Met									1343
			TCA Ser	TAGA	TCAT	CG T	cccc	TTTT	T GT	GTGC	ATCA	1394

AGT	TTCT	GTC	GTTT	TTAT	GA G	TTGC	CACT	G TT	CTAT	TCTT	TAA	GTAT	ACC	TTTC	GACTA	T 14	54
GTT	TTGA	AGA	TGCA	ACGA	та т	AAAA	TGAA	A AA	AAAA	AAAA	AAA	AAAA	AAA	AAAA		15	08
(2)	INF	ORMA	TION	FOR	SEQ	ID	NO : 6	:									
	(i	(A) L B) T C) S	ENGT YPE :	H: 1 nuc DEDN	522 leic ESS:	ISTIC base acic doul ear	pai d	rs								
	(ii) MO	LECU	LE T	YPE:	cDN.	A to	mRN	A								
	(iii) HY	POTH	ETIC.	AL:	ОИ									•		
	(i.v) AN	TI-S	ENSE	: NO												
	(vi	(.	A) O		ISM:	Lav	andul petal		ngus	tifo:	lia						
	(vii	()	A) L	ATE : IBRAI LONE	RY:	CDNA	libi	rary									
	(ix	()		E: AME/I OCAT:			1352										
	(xi) SE	QUEN	CE DI	ESCR:	IPTI	· ON: S	SEQ :	ID NO	0:6:							
							TCC Ser									4	48
							CTC Leu									9	96
							CTT Leu 40									14	ł 4
							GTC Val									19)2
							TTC Phe									24	į 0

			ATG Met					288
			ATG Met					336
			TTT Phe					384
			GAG Glu 135					432
			CTG Leu					480
			GTT Val					528
			ATC Ile					576
			TGT Cys					624
			GAC Asp 215					672
			CAT His					720
			CAA Gln					768
			AAT Asn					816
 			ACC Thr					864
			AAA Lys 295					912

						CCG Pro										960
TGT					ATG	GCG Ala				CGG					GGA	1008
						GCA Ala										1056
						AAG Lys										1104
						TTG Leu 375										1152
						TAC Tyr										1200
						TCG Ser										1248
						GCT Ala			_		_	_	_			1296
						CAA Gln										1344
_	AAG Lys 450	_	TGAT	raati	CA T	TTA	ATCAT	rg ta	ATTAT	GAAC	TTC	GATO	AAA			1393
TCCI	CTGI	TT C	CATCI	CTAT	T GI	TTA	ACAZ	A TAA	ATTTI	TTT	CCAT	TGA	CT T	TTTT	TGAGTC	1453
AATA	AAAA	AA A	AAAA	AAAA.	A A	\AAA.	AATO	AAA	AAAC	CTCA	GTTA	TTTT	TT T	TTTT	TTTTTT	1513
TTTT	TTTT	T														1522

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO

. . .

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Arg Phe Leu Gly Ile Thr Gly Ser Pro Lys 5

- (2) INFORMATION FOR SEQ ID NO:8:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Ile His Met Asp Ala Phe Ala Lys 5 1

- (2) INFORMATION FOR SEQ ID NO:9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Gly Val Glu Ile Gly Val Ser Leu Pro Lys

- (2) INFORMATION FOR SEQ ID NO:10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids (B) TYPE: amino acid
 - (C) STRANDEDNESS: single

 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide

- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Ala Ser Leu Ser Leu Thr Leu Lys
1 5

- (2) INFORMATION FOR SEQ ID NO:11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 14 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

His Tyr Val Pro Leu Ser Gly Asn Leu Leu Met Pro Ile Lys
1 5 10

- (2) INFORMATION FOR SEQ ID NO:12:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 14 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Val Arg Ala Thr Tyr Val Leu Ser Leu Ala Glu Ile Gln Lys
1 5 10

- (2) INFORMATION FOR SEQ ID NO:13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Ile His Met Asp Ala Phe Ala Lys
1 5

- (2) INFORMATION FOR SEQ ID NO:14:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Lys Ile His Met Asp Ala Phe Ala Lys 1

- (2) INFORMATION FOR SEQ ID NO:15:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Lys Ile His Met Asp Ala Phe Ala 1 5

- (2) INFORMATION FOR SEQ ID NO:16:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (iii) HYPOTHETICAL: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

AARATHCAYA '	TGGAYGCNTT YGC	23
(2) INFORMA	TION FOR SEQ ID NO:17:	
(; (; ()	QUENCE CHARACTERISTICS: A) LENGTH: 23 base pairs B) TYPE: nucleic acid C) STRANDEDNESS: single D) TOPOLOGY: linear	
(ii) MO	LECULE TYPE: DNA (genomic)	
(iii) HY	POTHETICAL: NO	
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:17:	
CTCGAGTTTT	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	23
(2) INFORMA	TION FOR SEQ ID NO:18:	
(, (,	QUENCE CHARACTERISTICS: A) LENGTH: 26 base pairs B) TYPE: nucleic acid C) STRANDEDNESS: single D) TOPOLOGY: linear	
(ii) MO	DLECULE TYPE: DNA (genomic)	
(iii) HY	POTHETICAL: NO	
(xi) SE	QUENCE DESCRIPTION: SEQ ID NO:18:	
TTCACCATGG	AGCAAATCCA AATGGT	26
(2) INFORMA	ATION FOR SEQ ID NO:19:	
((QUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MO	DLECULE TYPE: DNA (genomic)	
(iii) HY	POTHETICAL: NO	
(xi) SE	EQUENCE DESCRIPTION: SEQ ID NO:19:	
CGAGTCGCCC	TCATCAC	17
(2) ************************************	AMION FOR CEO ID NO. 20.	
(2) INFURMA	ATION FOR SEQ ID NO:20:	

	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 16 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	
	(iii)	HYPOTHETICAL: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:20:	
AAC	AGCTA:	rg accatg	16
(2)	INFO	RMATION FOR SEQ ID NO:21:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: peptide	
	(iii)	HYPOTHETICAL: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:21:	
	Asp 1	Phe Gly Trp Gly Lys 5	
(2)	INFO	RMATION FOR SEQ ID NO:22:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	
	(iii)	HYPOTHETICAL: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:22:	
GAY'	TTYGGI	NT GGGGNAA	17
(2)	INFO	RMATION FOR SEQ ID NO:23:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid	

	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:23:	
TGGCAACTG	GT CTTGCGTCAT G	21
(2) INFOR	RMATION FOR SEQ ID NO:24:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:24:	
CCATGTCAG	GG TGTGAGGTTC AAC	23
(2) INFOR	RMATION FOR SEQ ID NO:25:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:25:	
ATCGTTTCG	GC ATGATTGAAC	20
(2) INFOR	RMATION FOR SEQ ID NO:26:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	

(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	
TCAGAAGAAC TCGTCAAGAA	20
(2) INFORMATION FOR SEQ ID NO:27:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 53 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: double(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1253	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:	
GGGATCCAAC A ATG GAG CAA ATC CAA ATG GTG GCC GTG ATC GAA ACG TGT Met Glu Gln Ile Gln Met Val Ala Val Ile Glu Thr Cys 1 5 10	50
AGA Arg	53
(2) INFORMATION FOR SEQ ID NO:28:	,
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 16 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:	
GTAAAACGAC GGCCAT	16
(2) INFORMATION FOR SEQ ID NO:29:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 45 base pairs(B) TYPE: nucleic acid	

(C) STRANDEDNESS: double

	(D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(ix)	FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1245	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:29:	
GGGATCCA	AC A ATG GAG CAA ATC CAA ATG GTG AAC ATT CTC GAA C Met Glu Gln Ile Gln Met Val Asn Ile Leu Glu 15 20 25	45
(2) INFOR	RMATION FOR SEQ ID NO:30:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:30:	
CTCGGAGGA	AA TTCGGCACGA C	21
(2) INFOR	RMATION FOR SEQ ID NO:31:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 35 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(ix)	FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1835	

- 76 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

AGTCGGATCC AACAATG ACC ACC CTC CTC GAA TCC
Thr Thr Leu Leu Glu Ser

15